

## Check-list Northern Misiones and San Pedro

This is a Checklist made for our birders, based on the observations and experience of our guides and friends across the north of the Misiones Province and San Pedro City area, As one of the spots we usually reach from Iguazú or pass by on the way to the "campos" grasslands of the South of our Province, which birds were not included. Some species not included for their rareness but may be seen by looking for them specifically, thus being a reliable and practical tool for us to go birding.

III: Usually Observed.

II: Oftenly Observed.

I : Rarely observed.

\*: Spring-summer resident

PP: Provincial Park

NP: National Park



**IGUAZÚ FALLS:** Trails and public areas we walk or stay during the visit to the Waterfalls.

**MACUCO TRAIL:** A 7km easy trail across the forest, inside the Iguazú National Park.

**IGUAZU TOWN:** Hummingbird Garden and 600s (hectares) reservation. Several species, mainly hummingbirds, are only seen around the city and at the hummingbirds Garden. The 600s is a Patch of secondary forest, right next to the city.

**ROUTE 101:** 35km long dirt road across the Iguazú National Park. 30minutes driving from Iguazú to the first birding spot.

**URUZU:** 100km from Puerto Iguazú City (1:30hs driving) to the rangers headquarters of the **Uruguái Provincial Park** (Provincial Route N19) We bird around their yard and trails across the forest.

**NE MISIONES: North-East** Includes Birding Lodges and spots in the "Green Corridor" (between Uruguái and Foerster Provincial Parks) and around Andresito Town.

TINAMOUS	Iguazú Park	Macuco Trail	Iguazu City	101 route	Uruguái	NE Misiones	San Pedro
Solitary Tinamou <i>Tinamus solitarius</i>	I	I		I	I	I	I
Small-billed Tinamou <i>Crypturellus parvirostris</i>	–	–	–	–	–	I	I
Brown Tinamou <i>Crypturellus obsoletus</i>	I	I	–	I	I	I	I
Tataupa tinamou <i>Crypturellus tataupa</i>	I	I	–	I	I	I	I
WOOD QUAIL							
Spot-winged Woodquail <i>Odontophorus capueira</i>	I	I	–				
GUANS							
Rusty-margined Guan <i>Penelope superciliaris</i>	II	II	–	II	II	II	II
Black-fronted Piping Guan <i>Pipile jacutinga</i>	II	I	–	I	II		–
DUCKS							
Muscovy Duck <i>Cairina moschata</i>	III	–	–	–	–	I	I

Brazilian Teal <i>Amazoneta brasiliensis</i>	I	–	–	–	I	I	I
<b>GREBES</b>							
Least Grebe <i>Taquibaptus dominicus</i>	I	–	II	–	–	I	I
Pied-billed Grebe <i>Podilymbus podiceps</i>	I	–	II	–	–	I	I
<b>ANHINGA and CORMORANTS</b>							
Anhinga <i>Anhinga anhinga</i>	III	I	I	I	–	I	I
Neotropic cormorant <i>Phalacrocorax brasilianus</i>	III	II	–	I	I	III	I
<b>BITTERNS, HERONS AND EGRETS</b>							
Striated Heron <i>Butorides striata</i>	II	–	I	–	I	II	I
Black-crowned Night Heron <i>Nycticorax nycticorax</i>	II	–	II	I	I	II	I
Cocoi Heron <i>Ardea cocoi</i>	III	–	I	–	I	II	I
Cattle Egret <i>Bubuculus ibis</i>	–	–	II	–	II	III	III
Snowy Egret <i>Egretta thula</i>	II	I	II	I	–	II	II
Great Egret <i>Ardea alba</i>	III	II	III	II	II	II	II
Rufescent Tiger Heron <i>Tigrisoma lineatum</i>	II	I	–	–	I	I	I
Swhistling Heron <i>Syrigma sibilatrix</i>	–	–	I	–	–	II	II
<b>IBISES AND LIMPKIN Aramididae</b>							
Green Ibis <i>Mesembrinibis cayennensis</i>	II	–	–	II	II	–	I
limpkin <i>Aramus guarauna</i>	III	I	–	–	–	II	I
Plegadis chihi <i>White-faced Ibis</i>	I	–	–	–	–	II	II
<b>VULTURES</b>							
Black Vulture <i>Coragyps atratus</i>	III	III	III	III	III	III	III
Turkey Vulture <i>Cathartes aura</i>	III	III	II	III	III	III	III
King Vulture <i>Sarcoramphus papa</i>	I	II	–	II	II	II	I
<b>KITES</b>							
*Plumeous Kite <i>Ictinia plumbea</i>	III	III	III	III	III	III	III
*Swallow-tailed Kite <i>Elanoides forficatus</i>	II	II	III	II	II	III	III
<b>HAWKS</b>							
Roadside Hawk <i>Rupornis magnirostris</i>	III	II	II	III	III	III	III
*Snail Kite <i>Rosthramus sociabilis</i>	III	I	II	I	–	II	II
Great Black Hawk <i>Butegallus urubitinga</i>	I	I	I	–	–	I	I
<b>OSPREY</b>							
*Osprey <i>Pandion haliaetus</i>	I	I	–	–	–	–	–
<b>RUFOUS THIGHED KITE AND ACCIPITERS</b>							

Rufous thigted Hawk <i>Accipiter (striatus) striatus</i>	I	I	II	II	I	II	II
*Rufous-thighed Kite <i>Harpagus diodon</i>	I	I	–	I	I	I	I
Bicoloured Hawk <i>Accipiter bicolor</i>	I	I	I	I	I	I	I
Tiny Hawk <i>Hieraspiza superciliosa</i>	I	I	–	I	I	I	I
Hook-billed Kite <i>Chondohierax uncinatus</i>	I	I	–	I	I	I	I
Gray-headed Kite <i>Leptodon cayenensis</i>	I	I	I	I	I	I	I
Black-and-White Hawk Eagle <i>Spizaetus melanoleucus</i>	I	–	–	I	I	I	I
Short-tailed Hawk <i>Buteo brachyurus</i>	II	II	II	II	II	II	II
Ornate Hawk-Eagle <i>Spizaetus ornatus</i>	I	I	–	I	I	I	I
Barred Forest Falcon <i>Micrastur ruficollis</i>	I	I	I	I	I	I	I
Collared Forest Falcon <i>Micrastur semitorquatus</i>	I	I	–	I	I	I	I
Yellow-headed Caracara <i>Milvago chimachima</i>	I	I	II	II	III	III	III
Crested Caracara <i>Caracara plancus</i>	III	III	III	III	III	III	III
American Kestrel <i>Falco sparverius</i>	–	–	III	–	–	III	III
Bat Falcon <i>Falco ruficularis</i>	II	II	–	II	II	II	II
*Peregrin Falcon <i>Falco peregrinus</i>	I	–	I	–	–	I	I
<b>CRAKES, GALLINULES</b>							
Ash-throated Crake <i>Mustelirallus albicollis</i>	I	–	I	I	–	I	I
Purple Gallinule <i>Porphyrio martinica</i>	I	–	–	–	–	I	–
Blackish rail <i>Pardirallus nigricans</i>	I	–	–	–	–	I	–
Slaty-breasted Wood Rail <i>Aramides saracura</i>	III	II	–	II	II	II	II
<b>GALLINULE</b>							
Common Gallinule <i>Gallinula galeata</i>	–	–	I	–	–	II	II
<b>STILT AND JACANA</b>							
Wattled Jacana <i>Jacana jacana</i>	–	–	II	–	–	II	II
<b>LAPWING</b>							
Southern Lapwing <i>Vanellus chilensis</i>	III	II	III	II	I	III	III
<b>PIGEONS</b>							
Picazuro Pigeon <i>Patagioenas picazuro</i>	III	III	III	III	III	III	III
Pale-vented Pigeon <i>Patagioenas cayennensis</i>	II	II	I	II	II	II	II
Ruddy Quail-Dove <i>Geotrigon montana</i>	I	I	–	–	I	I	I
White-tipped Dove <i>Leptotila verreauxi</i>	III	III	II	II	III	III	III
Grey-fronted Dove <i>Leptotila rufaxilla</i>	II	II	I	I	III	II	II
Eared Dove <i>Zenaida auriculata</i>	III	III	III	II	II	III	III

Blue Ground Dove <i>Claravis pretiosa</i>	–	I	–	II	–	–	–
Ruddy Ground Dove <i>Columbina talpacoti</i>	–	–	II	–	–	III	III
Picui Ground Dove <i>Columbina Picui</i>	I	–	III	–	–	III	III
<b>PARAKEETS</b>							
White-eyed Parakeet <i>Psittacara leucophthalmus</i>	III	III	II	III	III	III	III
Maroon-bellied Parakeet <i>Pyrrura frontalis</i>	I	II	I	III	III	III	III
Monk Parakeet <i>Myiopsitta monachus</i>	–	–	II	–	–	II	II
Yellow-chevroned Parakeet <i>Brotogeris chiriri</i>	II	–	III	–	–	–	–
Pileated Parrot <i>Pionopsitta pileata</i>	I	I	–	–	–	–	II
Blue-winged Parrotlet <i>Forpus xanthopterygius</i>	II	I	II	–	–	–	–
Scaly-headed Parrot <i>Pionus maximiliani</i>	III	III	III	III	III	III	III
Vinaceous-breasted Amazon <i>Amazona vinacea</i>	–	–	–	–	–	–	III
Turquoise-fronted Parrot <i>Amazona aestiva</i>	–	–	III	–	–	–	–
<b>CUCKOOS</b>							
*Striped Cuckoo <i>Tapera naevia</i>	II	I	II	II	II	II	II
Squirrel Cuckoo <i>Piaya cayana</i>	III	III	I	III	III	III	III
Guyra Cuckoo <i>Guira guira</i>	–	–	II	–	–	III	III
*Greater Ani <i>Crotophaga major</i>	III	I	II	I	II	III	II
Smooth-billed Ani <i>Crotophaga ani</i>	III	I	III	II	I	III	III
Pavonine cuckoo <i>Dromococcyx pavoninus</i>	–	I	–	I	I	I	I
<b>POTOOS</b>							
Long-tailed Potoo <i>Nyctibius aethereus</i>	–	–	–	II	–	I	–
*Common Potoo <i>Nyctibius griseus</i>	II	II	II	III	II	III	III
<b>NIGHTHAWKS</b>							
*Short-tailed Nighthawk <i>Lurocalis semitorquatus</i>	II	II	III	III	III	III	III
<b>NIGHTJARS</b>							
Long-trained Nightjar <i>Macropsalis forcipata</i>	–	–	–	–	–	–	II
Ocellated Poorwill <i>Nyctiphrynus ocellatus</i>	–	–	–	–	I	II	I
Silky-tailed Nightjar <i>Antrostomus sericocaudatus</i>	–	–	–	II	I	I	II
Pauraque <i>Nyctidromus albicollis</i>	I	I	–	III	II	III	III
<b>OWLS</b>							
Tropical Screech-Owl <i>Megascops choliba</i>	III	III	III	III	III	III	III
Long-tufted Screech Owl <i>Megascops sanctaecatarinae</i>	–	–	–	–	–	–	II
Black-capped Screech Owl <i>Megascops atricapilla</i>	–	I	I	II	I	I	I

Buff-fronted Owl <i>Aegolius harrisii</i>	–	–	–	–	–	I	–
Ferruginous Pygmy Owl <i>Glaucidium brasilianum</i>	II	II	I	III	III	III	III
Burrowing Owl <i>Athene cunicularia</i>	I	–	II	–	–	III	III
Striped Owl <i>Asio clamator</i>	I	–	I	–	I	I	I
Stygian Owl <i>Asio stygius</i>	–	–	I	–	–	I	II
American Barn Owl <i>Tyto furcata</i>	I	I	II	II	I	II	II
Rusty-barred Owl <i>Strix hylophila</i>	I	I	–	II	I	I	I
Mottled Owl <i>Strix virgata</i>	I	I	–	II	II	II	II
Black-banded Owl <i>Ciccaba huhula</i>	–	–	–	II	I	II	I
Tawny-browed Owl <i>Pulsatrix koeniswaldiana</i>	–	I	I	II	I	II	I
<b>SWIFTS</b>							
Great Dusky Swift <i>Cypseloides senex</i>	III	II	II	III	–	–	–
*White-collared Swift <i>Streptoprocne zonaris</i>	I	I	–	I	–	–	–
Grey-rumped Swift <i>Chaetura cinereiventris</i>	II	–	–	–	–	–	–
*Sicks Swift <i>Chaetura meridionalis</i>	I	I	II	I	I	II	II
<b>HUMMINGBIRDS</b>							
Black Jacobin <i>Florisuga fusca</i>	–	–	III	–	–	II	II
Planalto hermit <i>Phaethornis pretrei</i>	I	–	III	–	–	II	II
Scale-throated Hermit <i>Phaethornis eurynome</i>	II	II	III	III	III	III	II
*Black-throated Mango <i>Anthracotorax nigricollis</i>	I	–	III	–	–	II	II
Glittering-bellied Emerald <i>Chlorostilbon lucidus</i>	–	–	I	–	–	I	I
Purple-crowned Plovercrest <i>Stephanoxis loddigesii</i>	–	–	–	I	I	II	I
Violet-capped Woodnymph <i>Thalurania glaucopis</i>	I	I	III	–	–	II	II
Swallow-tailed Hummingbird <i>Eupetoneura macroura</i>	–	–	III	–	–	II	II
Versicoloured Emerald <i>Chrysuronia versicolor</i>	II	II	III	I	I	II	II
White-throated Hummingbird <i>Leucochloris albicollis</i>	–	–	III	I	I	II	II
Gilded Sapphire <i>Hylocharis chrysura</i>	I	I	III	I	I	II	II
<b>TROGONS</b>							
Surucua Trogon <i>Trogon surrucura</i>	III	III	II	III	III	III	III
Black-throated Trogon <i>Trogon rufus</i>	I	III	I	III	III	III	III
<b>PUFFBIRDS</b>							
Buff-bellied Puffbird <i>Notharchus swainsoni</i>	–	I	I	I	I	II	I
White-eared Puffbird <i>Nystalus chacuru</i>	–	–	I	–	–	II	II
Rusty-breasted Nunlet <i>Nonnula rubecula</i>	–	II	I	II	II	II	II



Rufous-crowned Greenlet <i>Hylophilus poecilotis</i>	I	I	I	III	II	III	II
<b>ANTBIRDS and ANTWERNS</b>							
Dusky-tailed Antbird <i>Drymophila malura</i>	–	–	–	–	II	II	I
Bertonis Antbird <i>Drymophila rubricollis</i>	–	II	–	–	II	II	II
Rufous-winged Antwren <i>Herpsilochmus rufimarginatus</i>	II	III	II	III	III	III	III
Streak-capped Antwren <i>Terenura maculata</i>	I	III	I	III	–	–	–
<b>FIRE-EYE, BAMBOOWREN and TAPACULO</b>							
White-shouldered Fire-eye <i>Pyriglena leucoptera</i>	I	II	II	III	III	III	III
Spotted Bamboowren <i>Psilorhamphus guttatus</i>	–	–	–	–	I	I	I
Planalto Tapaculo <i>Scytalopus pachecoii</i>	–	–	–	–	I	II	II
<b>GNATEATER, ANTPITTAS and ANTTHRUSHES</b>							
Rufous Gnateater <i>Conopophaga lineata</i>	–	II	II	II	II	II	II
Variegated Antpitta <i>Grallaria varia</i>	–	I	–	I	I	I	I
Speckle-breasted Antpitta <i>Hylopezus nattereri</i>	–	–	–	–	I	I	I
Short-tailed Antthrush <i>Chamaeza campanisona</i>	–	I	–	I	I	I	I
Rufous-tailed Antthrush <i>Chamaeza ruficauda</i>	–	–	–	–	–	–	I
<b>WOODCREEPERS</b>							
Planalto Woodcreeper <i>Dendrocolaptes platyrostris</i>	–	I	–	I	II	II	II
White-throated Woodcreeper <i>Xiphocolaptes albicollis</i>	–	I	I	II	II	II	II
Black-billed Scythebill <i>Campylorhamphus falcularius</i>	–	–	–	–	I	II	I
Olivaceous Woodcreeper <i>Sittasomus griseicapillus</i>	I	III	III	III	III	III	III
Plain-winged Woodcreeper <i>Dendrocincla turdina</i>	I	II	II	II	II	II	II
Lesser Woodcreeper <i>Xiphorhynchus fuscus</i>	I	III	II	III	III	III	III
<b>STREAMCREEPER</b>							
Sharp-tailed Streamcreeper <i>Lochmias nematura</i>	–	–	–	II	III	–	–
<b>FOLIAGE GLEANERS and XENOPS</b>							
Buff-browed Foliage-gleaner <i>Syndactyla rufosuperciliata</i>	I	II	II	II	II	II	II
Streaked Xenops <i>Xenops rutilans</i>	I	II	I	II	II	II	II
Plain xenops <i>Xenops minutus</i>	I	III	II	III	II	II	II
Ochre-breasted Foliage-gleaner <i>Anabacerthia lichtensteini</i>	I	III	III	III	III	III	III
Buff-fronted Foliage-gleaner <i>Philydor rufum</i>	–	I	I	II	II	II	II
Black-capped Foliage-gleaner <i>Philydor atricapillus</i>	–	II	I	I	I	II	I
White-eyed Foliage-gleaner <i>Authomolus leucophthalmus</i>	I	III	II	III	III	III	III
Canebrake Groundcreeper <i>Clibanornis dendrocolaptoides</i>	–	–	–	–	–	I	II

Rufous-breasted Leaftosser <i>Sclerurus scansor</i>	–	–	–	–	I	I	II
<b>TIT-SPINETAILS</b>							
Araucaria Tit-Spinetail <i>Leptasthenura setaria</i>	–	–	–	–	–	I	III
Yellow-chinned Spinetail <i>Certhiaxis cinnamomeus</i>	II	–	III	–	–	II	I
Olive Spinetail <i>Cranioleuca obseoleta</i>	–	–	–	–	–	–	II
Spix's Spinetail <i>Synallaxis spixi</i>	I	–	I	–	–	II	II
Sooty-fronted Spinetail <i>Synallaxis frontalis</i>	I	–	II	–	–	II	III
Grey-bellied Spinetail <i>Synallaxis cinerascens</i>	–	I	–	I	III	III	III
Rufous-capped Spinetail <i>Synallaxis ruficapilla</i>	–	–	–	–	III	III	III
<b>HORNERO</b>							
Rufous Hornero <i>Furnarius rufus</i>	III	–	III	–	–	III	III
<b>ELAENIAS</b>							
Yellow-bellied Elaenia <i>Elaenia flavogaster</i>	III	I	III	I	I	III	III
*Large Elaenia <i>Elaenia spectabilis</i>	III	I	III	I	–	III	III
*Greenish Elaenia <i>Myiopagis viridicata</i>	I	II	II	II	II	II	II
Grey Elaenia <i>Myiopagis caniceps</i>	I	II	II	II	II	II	II
<b>TYRANNULETS</b>							
Southern Beardless Tyrannulet <i>Camptostoma obsolotum</i>	II	II	II	II	II	II	II
White-crested Tyrannulet <i>Serpophaga subcristata</i>	II	–	II	–	–	II	II
Rough-legged Tyrannulet <i>Phyllomyias burmeisteri</i>	I	I	–	II	II	II	II
Mottled-cheeked Tyrannulet <i>Phylloscartes ventralis</i>	–	–	I	I	I	II	II
<b>FLYCATCHERS</b>							
Sepia-capped Flycatcher <i>Leptopogon amaurocephalus</i>	I	III	II	III	III	III	III
Southern Bristle Tyrant <i>Pogonotricus eximius</i>	–	I	I	II	II	II	II
Yellow-olive Flycatcher <i>Tolmomyias sulphurescens</i>	–	I	I	II	II	II	II
Drab-breasted Bamboo Tyrant <i>Hemitriccus diops</i>	–	I	–	I	I	I	I
Eared Pygmy Tyrant <i>Myiornis auricularis</i>	–	III	II	III	III	III	III
Bay-ringed Tyrannulet <i>Phylloscartes sylviolus</i>	–	I	I	I	–	I	I
White-throated Spadebill <i>Platyrrinchus mystaceus</i>	–	II	–	I	I	II	I
Tawny-crowned Pygmy Tyrant <i>Euscarthmus meloryphus</i>	II	–	I	–	–	I	I
Ochre-faced Tody-flycatcher <i>Poecilotriccus plumbeiceps</i>	–	–	–	II	II	II	II
Pearly-vented Tody-tyrant <i>Hemitriccus margaritaceiventer</i>	II	I	II	–	–	II	II
Grey-hooded Flycatcher <i>Mionectes rufiventris</i>	–	I	–	I	I	I	I
Common Tody-flycatcher <i>Todirostrum cinereum</i>	II	–	III	–	–	II	II



Southern Antpiper <i>Corythopis delalandi</i>	–	III	II	II	III	III	III
Yellow Tyrannulet <i>Capsiempis flaveola</i>	I	III	II	III	III	III	III
Large-headed Flatbill <i>Ramphotrigon megacephalum</i>	–	I	–	II	II	II	II
*Eulers Flycatcher <i>Lathrotriccus eulerei</i>	I	II	I	II	II	II	II
Whistling Fuscous Flycatcher <i>Cnemotriccus fuscatus</i>	–	I	I	II	II	II	II
Tropical Pewee <i>Contopus cinereus</i>	–	–	–	–	–	I	I
Sibilant silystes <i>Sirystes sibilator</i>	II	III	III	III	III	III	III
*Vermilion Flycatcher <i>Pyrocephalus rubinus</i>	II	–	II	I	I	II	II
<b>TYRANTS</b>							
Long-tailed Tyrant <i>Colonia colonus</i>	–	I	I	III	II	III	II
*Fork-tailed Tyrant <i>Tyrannus savana</i>	II	–	III	I	I	III	III
*Swainsons Flycatcher <i>Myiarchus swainsoni</i>	II	II	II	II	II	II	II
Short-crested Flycatcher <i>Myiarchus ferox</i>	II	III	III	II	II	III	III
*Rufous-tailed Attila <i>Attila Phoenicurus</i>	–	–	–	–	–	–	II
<b>KISKADEES</b>							
Three-striped Flycatcher <i>Conopias trivirgatus</i>	–	II	II	III	II	III	II
Social Flycatcher <i>Myiozetetes similis</i>	III	II	III	III	III	III	III
Great Kiskadee <i>Pitangus sulphuratus</i>	III	III	III	II	II	III	III
Boat-billed Flycatcher <i>Megarynchus pitangua</i>	III	III	III	III	III	III	III
<b>STREAKED FLYCATCHERS AND ALLIES</b>							
*Variegated Flycatcher <i>Empidonomus varius</i>	II	II	II	I	II	II	II
*Piratic Flycatcher <i>Legatus leucophaeus</i>	III	I	III	I	III	III	III
*Tropical Kingbird <i>Tyrannus melancholicus</i>	III	III	III	III	III	III	III
Cattle Tyrant <i>Machetornis rixosa</i>	III	–	III	–	–	III	III
<b>COTINGA</b>							
Red-ruffed Fruitcrow <i>Pyroderus scutatus</i>	–	I	–	I	II	I	I
<b>MANAKINS</b>							
Swallow-tailed Manakin <i>Chiroxiphia caudata</i>	I	III	II	II	II	II	II
White-bearded Manakin <i>Manacus manacus</i>	–	II	–	I	I	II	I
Band-tailed Manakin <i>Pipra fasciicauda</i>	–	II	II	II	II	III	II
Wing-barred Piprites <i>Piprites chloris</i>	–	II	–	II	II	II	II
<b>BECARDS</b>							
Green-backed Becard <i>Pachyramphus viridis</i>	I	I	I	II	II	II	II
Chestnut-crowned Becard <i>Pachyramphus castaneus</i>	I	I	I	II	II	II	II

* White-winged Becard <i>Pachyramphus polychopterus</i>	I	I	I	I	II	II	II
Greenish Schiffornis <i>Schiffornis virescens</i>	I	III	II	III	III	III	III
<b>TITYRAS</b>							
*Black-crowned Tityra <i>Tityra inquisitor</i>	I	II	II	II	II	II	II
*Black-tailed Tityra <i>Tityra cayana</i>	I	II	II	II	II	II	II
Masked Tityra <i>Tityra semifasciata</i>	II	II	II	II	II	II	II
<b>JAYS</b>							
Plush-crested Jay <i>Cyanocorax chrysops</i>	III	III	II	III	III	III	III
<b>SWALLOWS</b>							
White-rumped Swallow <i>Tachycineta leucorrhoa</i>	II	I	II	I	I	I	I
White-winged Swallow <i>Tachycineta albiventer</i>	III	–	–	–	I	I	I
Blue-and-white Swallow <i>Pygochelidon cyanoleuca</i>	II	II	II	I	I	II	II
*Brown-chested Martin <i>Progne tapera</i>	II	–	II	I	II	II	II
*Grey-breasted Martin <i>Progne chalybea</i>	III	II	III	II	II	II	II
<b>WRENS</b>							
House Wren <i>Troglodytes aedon</i>	III	III	III	III	III	III	III
Thrush-like Wren <i>Campylorhynchus turdinus</i>	I	–	III	–	–	I	I
<b>VIREOS; GNATCATCHERS and DONACOBIOUS</b>							
Rufous-browed Peppershrike <i>Cyclarhis gujanensis</i>	II	II	III	II	II	II	II
*Chivi vireo <i>Vireo chivi</i>	II	II	II	II	II	II	II
Creamy-bellied Gnatcatcher <i>Poliioptila lactea</i>	I	II	II	II	II	I	I
Black-capped Donacobius <i>Donacobius atricapilla</i>	II	–	II	–	–	II	I
<b>THRUSHES</b>							
Pale-breasted Thrush <i>Turdus leucomelas</i>	III	III	III	III	III	III	III
White-necked Thrush <i>Turdus albicollis</i>	–	II	II	II	II	II	III
Creamy-bellied Thrush <i>Turdus amaurochalinus</i>	III	III	III	III	III	III	III
Rufous-bellied Thrush <i>Turdus rufiventris</i>	III	III	III	III	III	III	III
*Eastern Slaty Thrush <i>Turdus subalaris</i>	II	II	I	I	I	I	I
<b>MOCKINGBIRDS</b>							
Chalk-browed Mockingbird <i>Mimus saturninus</i>	III	–	III	I	II	III	III
<b>NEW WORLD WARBLERS</b>							
Southern Yellowthroat <i>Geothlypis velata</i>	II	–	II	II	I	II	II
Tropical Parula <i>Parula pitaiyumi</i>	II	II	II	II	II	II	II
Golden-crowned Warbler <i>Basileuterus culicivorus</i>	II	III	II	III	III	III	III

White-rimmed Warbler <i>Myiothlypis leucoblephara</i>	–	–	–	–	III	II	II
Riverbank Warbler <i>Myiothlypis rivularis</i>	–	–	–	–	–	–	–
<b>TANAGERS</b>							
Black-goggled Tanager <i>Trichothraupis melanops</i>	II	III	II	III	III	III	III
Chestnut-headed Tanager <i>Thlypopsis pyrrhocomma</i>	–	I	I	II	II	II	II
Guira Tanager <i>Hemithraupis Guira</i>	II	III	III	III	III	III	III
Blue Dacnis <i>Dacnis cayana</i>	II	II	III	II	II	II	II
Chestnut-vented Conebill <i>Conirostrum speciosum</i>	II	II	II	II	II	II	II
Bananaquit <i>Coereba flaveola</i>	II	I	III	I	I	II	II
Ruby-crowned Tanager <i>Tachyphonus coronatus</i>	II	III	III	III	III	III	III
Red-crowned Ant Tanager <i>Habia rubica</i>	I	III	II	III	III	III	III
*Swallow Tanager <i>Tersina viridis</i>	III	II	III	II	II	II	II
Diademed Tanager <i>Stephanophorus diadematus</i>	–	–	–	–	–	–	II
Fawn-breasted Tanager <i>Pipraidea melanonota</i>	II	II	II	II	II	II	II
Sayaca Tanager <i>Thraupis sayaca</i>	II	II	III	I	I	III	III
Hooded Tanager <i>Nemosia pileata</i>	I	I	II	I	I	I	I
Magpie Tanager <i>Cissopis leverianus</i>	II	III	II	III	III	III	III
Green-headed Tanager <i>Tangara seledon</i>	II	II	III	II	I	II	II
<b>SALTATORS</b>							
Thick-billed Saltator <i>Saltator maxillosus</i>	–	–	–	–	–	I	II
Green-winged Saltator <i>Saltator similis</i>	III	III	III	III	III	III	III
Black-throated Grosebeak <i>Saltator fuliginosus</i>	–	–	I	–	II	II	II
<b>GROSEBEAKS</b>							
Yellow-billed Cardinal <i>Paroaria capitata</i>	I	–	I	–	–	II	II
Ultramarine Grosebeak <i>Cyanoloxia brissonii</i>	I	–	II	II	II	II	II
<b>NEW WORLD SPARROWS</b>							
Saffron-billed Sparrow <i>Arremon flavirostris</i>	II	II	II	II	II	II	II
Rufous-collared Sparrow <i>Zonotrichia capensis</i>	II	–	III	II	II	III	III
Blue-black Grassquit <i>Volatinia jacarina</i>	I	–	II	II	–	II	II
<b>FINCHES and SEEDEATERS</b>							
Red Pileated Finch <i>Coryphospingus cucullatus</i>	III	II	III	III	III	III	III
Blackish-blue Seedeater <i>Amaurospiza moesta</i>	–	I	I	I	I	I	I
Sooty-grassquit <i>Aseospiza fuliginosa</i>	–	–	I	–	–	I	I
Uniform Finch <i>Haplospiza unicolor</i>	I	II	II	III	II	II	II



